### Work Order ID 65846

Quality Control

Memo



Page 1

Wednesday, January 26, 2011 11:37:27 AM Item ID: D3475-3 Accept Setup Start **Revision ID:** Stop Item Name: Tube Start Otv: 4.00 **Start Date:** 1/26/2011 **Cust Item ID:** Required Date: 2/7/2011 Reg'd Oty: 4.00 Customer: Reference: Run Start Date://-26 Tooling: Process Plan: Approvals: Date: Stop QC: Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Accept Reject Reject Insp. Work Center ID Description **Run Hours** Qty Code Oty Stamp Number Draw Nbr **Revision Nbr** D3475 Rev C 100 0.00 FLOW WATER JET B11-1-26 Waterjet 0.00 Memo FLOW CNC Wateriet Cut as per Dwg D3475 Dwg Rev: Prog Rev: 110 QC2- Inspect parts off machine FAI/FAIB 0.00 H21-1-06 0.00 Memo Quality Control 120 QC8- Inspect parts - second check

Dart Aerospace Ltd	Dart	Aerosi	pace	Ltd
--------------------	------	--------	------	-----

					•					7 '
W/O:			M	ORK ORDER CHANG	iES					
DATE	STEP	PRO	CEDURE CH	IANGE	Ву		Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	1									
Part No		PAR #:								
	R	esolution:	Disposit	ion:	QA: N/0	Clos	ed:	<del> </del>	Date:	
NCR:		V	VORK OR	DER NON-CONFORM	ANCE (N	CR)				
DATE	STEP	Description of NC			tion B	0	Verific		Approval	Approval
DAIL	JILI	Section A	Initial Chief Eng	Action Description Chief Eng		gn & ate	Section	on C	Chief Eng	QC Inspector
										,
!										

Page 2

Insp.

Wednesday, January 26, 2011 11:37:27 AM Item ID: D3475-3 Accept Setup Start Revision ID: Stop Item Name: Tube Start Oty: 4.00 **Start Date:** 1/26/2011 **Cust Item ID:** Required Date: 2/7/2011 Req'd Oty: 4.00 **Customer:** Reference: Run Start Process Plan: Approvals: Tooling: Date: Date: Stop OC: Date: SPC (Y/N): Date: Sequence ID/ Operation Set Up/ Tool ID Tool # Plan Reject Accept Reject Work Center ID Description **Run Hours** Code Number Stamp Otv 130 0.00 Small Fab Small Fab Memo Small Fab 1-Roll as per Dwg D3475 2-Bead as per Dwg D3475 3-Spot Weld as per Dwg D3475 140 QC11- Inspect spot weld per OSI004 0.00 OC Memo

Quality Control

0.00

150 Packaging

Packaging

Memo

Identify as per dwg & Stock Location: 077

0.00

0.00

	Copaco								
W/O:			W	ORK ORDER CHANG	ES				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
								·	
Part No	):	PAR #:	Fault Cate	gory:	NCR: Yes	No <b>DQ</b>	A:	Date: _	
	R	esolution:	Dispositio	n:	_ QA: N/C CI	osed:		Date: _	
NCR:		·	WORK ORD	ER NON-CONFORMA	NCE (NCR	1)			
DATE	DATE STEP Description of NC			Section B  tion Sign & Section C				Approval	
DAIL	J.L.	Section A	Initial Chief Eng	Action Description Chief Eng	Date	Secti	ion C	Chief Eng	QC Inspector
		_							
				·					

Work Order ID	658	46
Wednesday, January 26,	2011	11:.



Page 3

Wednesday, Ja		11 11:37:27 AM										Page
Item ID: Revision ID:	D3475-3			Accept				S	Setup	Start Stop		
Item Name: Start Date: Required Date Reference:	Tube 1/26/2011 2: 2/7/2011	Start Qty: 4.00 Req'd Qty: 4.00			Cust Item I Customer:	D:				Stop		
Approvals:	Process Pl	an:	Date:	Tooling: SPC (Y/N):		ate:		F	₹un	Start Stop		
Sequence ID/ Work Center	ID	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Rej Qty		Reject Number	Insp. Stamp
160		QC21- Final Inspection	- Work Order Release	0.00				-	- •	,	nloils	31
QC		Memo		0.00								· //

Quality Control

Memo

Mr 01-25

	[	—								•
W/O:			W	ORK ORDER CHANG	ES					
DATE	STEP	PRO	OCEDURE CHA	NGE		Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									•	
Part No	:	PAR #:	Fault Cate	gory:	_ NCR:	Yes N	lo <b>DQ</b>	A:	Date:	· ,
	Re	esolution:	Dispositio	n:	QA: N	I/C Clo	sed:		Date: _	
NCR:		,	WORK ORD	ER NON-CONFORM	ANCE (	NCR)				
DATE	STEP	Description of NC			tion B	0:	Verific	cation	Approval	Approval
DAIL	SILF	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Sect	ion C	Chief Eng	QC Inspector
										1
			1 .							

# **Picklist Print**

Wednesday, January 26, 2011 11:37:33 AM

Work Order ID: 65846

Parent Item:

D3475-3

Parent Item Name: Tube



**Start Date: 1/26/2011** 

Required Date: 2/7/2011

Page 1

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP Rev:A New Issue 06-02-03 JLM IPP Rev:B As per Rev B 06-05-24 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Primary Item Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S26GA		Purchased	No		100	sf	98.8100	0.12	0.48			
									מ	11-1-26		•

304/316 0.018 SHEET

<b>Location</b>	Loc Qty	Loc Code	
MAT20	98.81		
109398	20.06		
112885	78.75		119886

	- Part									
W/O:			W	ORK ORDER CHANG	GES					
DATE	STEP	PRO	OCEDURE CHA	NGE	By	/	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:	_ NCR: \	'es N	o DQ	A:	_ Date: _	
	Re	esolution:	Dispositio	n:	QA: N/	C Clos	ed:		Date: _	
NCR:			WORK ORD	ER NON-CONFORM	ANCE (N	ICR)				
DATE STEP Description of NC				Corrective Action Section B			Sign & Verification			Approval
DAIL	JILF	Section A	Initial Chief Eng	Action Description Chief Eng		gn & Date	Section	on C	Chief Eng	QC Inspector
									·	
	<u> </u>									

DART AEROSPACE LTD	Work Order:	1,3846
Description: Tube	Part Number:	D3475-3
Inspection Dwg: D3475 Rev: C		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
8.79	+/-0.030	8,791	4		PROW'S	
1.80	+/-0.030	1.795	8		U BOZ	
2.80	+/-0.030	7.797	>		V	
0.197	+/-0.010	1197	y		V	
0.018	+/-0.010	.019	<del>%</del>		ν	
						·
						·
-,,,,						·
				***************************************		
	·					


Measured by	: B	Audited by:	Preliminary Approval:
Date	: 11-1-76	Date: 114/26	Date:

Rev	Date	Change	Revised by	Approved
Α	06.09.27	New Issue	KJ/JLM 1A	
В	10.10.25	Dimensions revised per Dwg Rev C	KJ 🗫	M/
			41	

	pa	<i></i>												
W/O:		WORK ORDER CHANGES												
DATE	STEP	PROG	CEDURE CH	IANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
				A										
		·												
	,			100000000000000000000000000000000000000										
Part No	<b>:</b>	PAR #:	Fault Category: No			R: Yes N	lo DQA	A: Date:						
Resolution:			_ Disposit	ion:	QA	: N/C Clo	sed:		Date: _					
NCR:	·	W	ORK OR	DER NON-CON	FORMANCE	(NCR)	<del>.</del>							
DATE	OTED	Description of NG		Corrective Action				ation	Approval	Approval				
DATE	STEP	ESIEP	AIE SIEP	SIEP	SIEP	Section A	Initial Chief Eng	Action Desc Chief En	cription	Sign & Date	Section	on C	Chief Eng	QC Inspector
		-		·										
										·				
					•									
·										•				



DES	SIGN	DRAWN BY	DART AEROS HAWKESBURY, ON					
CHE	CKED PH-	APPROVED	D3475	REV. C SHEET 1 OF 7				
DAT	_	12.19	DUMP OUTLET	SCALE 1:2				
Α	0	6.01.24	NEW ISSUE					
В	0	6.05.16	REDESIGN D3475-1F/-5/-7	'S/-7; ADD D3475-9				
С	0	8.12.19	CORRECT DIMS PER D3475 HOLES ON D3475-7; MATL S	PER D3475-3F; REMOVE Ø0.191 5-7; MATL SPEC WAS MIL-S-5019				



### D3475-041 DUMP OUTLET

### **NOTES:**

- 1) SPOT WELD PER DART QSI 004 2) IDENTIFY WITH DART P/N D3475-041 USING FINE POINT PERMANENT INK MARKER
- 3) FINISH: NONE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010

QTY -041	P/N	DESCRIPTION
X	D3475-041	DUMP OUTLET
1	D3475-1	FLANGE
1	D3475-3	TUBE
8	NAS1031C3W	NUTPLATE


### COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


W/O:	W/O:		WORK ORDER CHANGES									
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
,				•								
				·					c			
·												
Part No	Part No:PA		Fault Cate	gory:	NCR: Yes	No DQ	A:	Date: _				
	Resolution:			n:	QA: N/C C	losed:	-	Date: _				
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NC	<del>3</del> )						
DATE	STEP	Description of NC		on B			Approval	Approval				
DATE	SILF	Section A	Initial Chief Eng	Action Description Chief Eng	Sign of Date		tion C	Chief Eng	QC Inspector			
	į											
	-											



DESIGN	DRAWN BY	DART AEROSP. HAWKESBURY, ONTA			
CHECKED	APPROVED	DRAWING NO.	REV. C		
RU	#	D3475	SHEET 2 OF T		
DATE		TITLE	SCALE		
08	.12.19	DUMP OUTLET	1:2		



### **SECTION A-A**



### **D3475-1 OUTLET** ADAPTER PLATE

### D3475-1F FLAT PATTERN

#### **NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5059 (ANNEALED) 2B FINISHOOR AMS 5513/5524, 26 GAUGE SS (0.018 THICK) (REF. DART SPEC. M304S26GA)
  2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
  3) ALL DIMENSIONS ARE IN INCHES
  4) BREAK ALL SHARP EDGES 0.005 TO 0.010


### COPYRIGHT © 2006 BY DART AEROSPACE LTD.

Dart Aerospace Ltd	D	art	Ae	ros	pac	e Ltd
--------------------	---	-----	----	-----	-----	-------

										•		
W/O:		WORK ORDER CHANGES										
DATE	STEP	PRO	CEDURE CH	IANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
	į											
				and the second s								
						į						
							ι					
Part No:		PAR #:	Fault Category: NCR: Yes No DQA:						Date:			
Resolution:			Disposit	ion:	QA:	N/C Clos	sed:		Date: _			
NCR:		V	VORK OR	DER NON-CONFORM	MANCE	(NCR)						
		Description of NC		Corrective Action Section B			Verification		Approval	Approval		
DATE	STEP	STEP	STEP Section A	Initial Chief Eng	Action Description Chief Eng	n	Sign & Date	Section C		Chief Eng	QC Inspector	
·			;						-			
	<u> </u>	· · · · · · · · · · · · · · · · · · ·					<u> </u>					
						•						
									-	,		
										·		
					•	·						
i	1					l	1			1		







#### **NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET PER MIL-S-5059 (ANNEALED) 2B FINISH OR AMS 5513/5524, 26 GAUGE SS (0.018 THICK) (REF. DART SPEC. M304S26GA)
  2) FLAT PATTERN IS SYMMETRICAL ABOUT CENTERLINE
  3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- 4) ALL DIMENSIONS ARE IN INCHES 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

#### COPYRIGHT © 2006 BY DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES										
DATE	STEP	PRO	OCEDURE CHAI	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
				·								
Part No	:	PAR #:	Fault Cate	NCR: Yes No DQA: Date:								
	R	esolution:	Disposition	1:	QA:	QA: N/C Closed: Date: _						
NCR:			WORK ORDI	R NON-CONFORM	ANCE	(NCR	)					
DATE	STEP Description of NC		Corrective Action Section 6			0: 0	Verifi		Approval	Approval		
DAIE	SIEP	Section A	Initial Chief Eng	1		Sign & Date	Section C		Chief Eng	QC Inspector		
			-									
1												
	ļ											



DESIGN	DRAWNBY	DART AEROS HAWKESBURY, ON	
CHECKED PH	APPROVED	DRAWING NO.	REV. C
DATE		TITLE	SHEET 4 OF 7 SCALE
08	.12.19	DUMP OUTLET	1:1





ulo 45846

### **D3475-5 SCREEN**

### NOTES:

- 1) MATERIAL: #4 MESH SCREEN, 0.203" OPENING, Ø0.047" WIRE (REF. DART SPEC. M304MS4.203-.047)
  2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 3) ALL DIMENSIONS ARE IN INCHES 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

### COPYRIGHT © 2006 BY DART AEROSPACE LTD.


Dart Aerospace	Ltd	d
----------------	-----	---

		— - <del>-</del> -												
W/O:			WO	RK ORDER CHANG	GES									
DATE	STEP	PRO	OCEDURE CHAI	NGE	·	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
							<del></del>							
Part No	:	PAR #:	Fault Cate	Fault Category: N				NCR: Yes No DQA: Date:						
	Re	esolution:	Disposition	n:	QA: N	VC Clo	sed:		Date: _					
NCR:		,	WORK ORD	ER NON-CONFORM	IANCE	(NCR)								
DATE	STEP	Description of NC	Corrective Action Section B			Cian 9	Verification			Approval				
DATE	SILF	Section A	Initial Chief Eng	Action Description Chief Eng		Sign & Date	Section C		Chief Eng	QC Inspector				
							:							



DESIGN	DRAWIN BY	DART AEROSPA HAWKESBURY, ONTAR	
CHECKED P	APPROVED	DRAWING NO. D3475	REV. C SHEET 5 OF 7
DATE 08.12.19		DUMP OUTLET	SCALE 1:1.5

RELEASED MAN



# D3475-7S SCOOP OUTLET, SPINNING DETAIL

### **NOTES:**


- 1) MATERIAL: 2024-0 ALUMINUM SHEET, 0.040" THICK PER AMS-QQ-A-250/4 OR AMS 4037 (REF. DART SPEC. M2024T0S.040)
  2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 3) ALL DIMENSIONS ARE IN INCHES 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

### COPYRIGHT © 2006 BY DART AEROSPACE LTD.

W/O:	•		WO	RK ORDER CHAN	GES					
DATE	STEP	PRO	PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	·						_			
Part No	: 	PAR #:	Fault Cate	gory:	NCR:	Yes N	10 <b>DQ</b>	A:	Date: _	
	R	Resolution: Disposition:			QA: N/C Closed: Date:					
NCR:			WORK ORDI	ER NON-CONFORM	MANCE	(NCR)	)			
DATE	STEP	Description of NC	Corrective Action Section B			Verification			Approval	Approval
DATE	SIEF	Section A	Initial Chief Eng	Action Description Chief Eng	n	Sign & Date	Sect	tion C	Chief Eng	QC Inspector
		•								



DESIGN	DRAWNBY	DART AEROS HAWKESBURY, ON	· · · · · · · · · · · · · · · · · · ·
CHECKED	APPROVED	DRAWING NO.	REV. C
PH	UE	D3475	SHEET 6 OF 7
DATE		TITLE	SCALE
08.12.19		DUMP OUTLET	1:1.5



# C D3475-7 SCOOP OUTLET

### **NOTES:**

- 1) MATERIAL: MAKE FROM D3475-7S
  2) IDENTIFY WITH DART P/N D3475-7 USING FINE POINT PERMANENT INK MARKER
  3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
  4) ALL DIMENSIONS ARE IN INCHES
  5) BREAK ALL SHARP EDGES 0.005 TO 0.010

### COPYRIGHT © 2006 BY DART AEROSPACE LTD.


Da	art	Ae	ro	sp	ac	e l	Ltd
----	-----	----	----	----	----	-----	-----

DATE         STEP         PROCEDURE CHANGE         By         Date         Qty         Approval Chief Eng / Prod Mgr         Ap	
Part No: PAR #: Fault Category: NCR: Yes No DQA: Date:  Resolution: Disposition: QA: N/C Closed: Date:	val ector
Part No:         PAR #: Fault Category:	
Resolution: Disposition: QA: N/C Closed: Date:	
Resolution: Disposition: QA: N/C Closed: Date:	
Resolution: Disposition: QA: N/C Closed: Date:	
Resolution: Disposition: QA: N/C Closed: Date:	
Resolution: Disposition: QA: N/C Closed: Date:	
WORK ORDER NON CONFORMANCE (NCD)	
MODE ODED NON CONEODMANCE (NCD)	
NCR: WORK ORDER NON-CONFORMANCE (NCR)	
DATE STEP Description of NC Corrective Action Section B Verification Approval Approv	val
DATE STEP Section A Initial Action Description Chief Eng	ector
	·



DESIGN	DRAWN BY		DSPACE LTD DINTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. C
PH	14	D3475	SHEET 7 OF 7
DATE		TITLE	SCALE
08.12.19		DUMP OUTLET	1:1

RELEASED



# D3475-9 OUTLET GASKET

#### NOTES:

- 1) MATERIAL: RED (OR GRAY) 60 DUROMETER HI-TEMPERATURE SILICONE SHEET, 0.063 THICK (REF. DART SPEC. M-SIL60-S.063)
  2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 3) ALL DIMENSIONS ARE IN INCHES 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

#### COPYRIGHT © 2006 BY DART AEROSPACE LTD.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

<b>Dart</b>	Aer	osi	pace	Ltd
-------------	-----	-----	------	-----

	base									
W/O: WORK ORDER CH										
DATE	STEP PROCEDURE CHANGI			NGE	Ву			Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
<u> </u>							<del></del>			
	Andrew III									
Part No: PAR #:		PAR #:	_ Fault Cate	egory:	NC	R: Yes	No DQ	A:	_ Date: _	· 
Resolution:			Disposition:			QA: N/C Closed:			Date:	
NCR:		W	ORK ORD	ER NON-CONFOR	MANCE	(NCR	)			
DATE	STEP	Description of NC			Section B	C:		cation	Approval	Approval
DAIL	J.L.	Section A	Initial Chief Eng	Action Descriptio Chief Eng	on 	Sign & Date	Sect	ion C	Chief Eng	QC Inspector
								· · · · · · · · · · · · · · · · · · ·	·	
		·							,	
							·		_	

# SPOT WELD TEST RECORD AMS-W-6858A CLASS 'C'

TEST NO#: ७७

EMPLOYEE: Marc Aregory	
PART NUMBER: D3475-3	JOB NUMBER: 13 65846
MATERIAL TYPE: 304 C	MATERIAL THICKNESS:6 ) 3
GROUP SPECIFICATION	Group 1: Aluminum & magnesium Group 2: Iron; nickel; cobalt Group 3: Titanium / SS
TEST I	RESULTS
PASS FAIL VISUAL: [ ] [ PENETRATION: [ ] [ PULL STRENGTH: [ ] [	
Qualified in accordance with standard A	AMS-W-6858A and QSI 004 (ref: 4.3)
DATE OF TEST COUPON: ///oz/27 QUALIFIER:	